APPLICATION FOR PERMIT

Serial No. 4046

	i e		the second second		and the second s	
ma	APPROPRIATE	MITTEL TATES	T T// TTT A PRITATO	4 AM MWW		
441	APPROPRIATE	THE PUR	1.11: W/A'I'R'R'	e ()H. 'I.H.H.	STATE OF	·NCCVADIA
	TITULITALE		MIC AA WITTIN	, ,, ,,,,,,,,,	DIELE OF	

	•	= =: +* +* .	ř ř ř ř G ř ř	杏 莊 華華	led	· · · · ·	*** ** ** ** ***	-			•	
,	Ţħę	unde	rsigne	<u>d</u>	Ces	are Re	ghussi	· .	· · · · · · · · · · · · · · · · · · ·	* * *		
f						Na , Cou	ame of applic	ant.	mbold	t	·	
			Nevada						. .	nnii.	eati.	าก f
7.												
200						public		,			je.	
a⊬ l	qerein	afte	r state	ed. (If app	licant	is a	gorpo,	ratio	n giv	e da	te's
	ce of	ingor	porati	ion.)_					<u> </u>			
					•	<u> </u>	-					
	The s	ource	of th	ne pro	posed	approj	priati	on i:	Name of	oldt 1 stream, lake	Rive:	r source.
				· 		· · · · · · · · · · · · · · · · · · ·						,
•	The an	nount	of wa	ter a	pplied	d for i	S Fo	ur (4)	S	econ	d-fe
	The wa	ater	to be i	used f	for_Ir	rigation	n and	Stock	wate	ring]	ourpo	ses
	The wa	ater	is to	be di	verte	d from	its s		•			
i	. +	:		-		r. 25 <u>n</u>	•				,	
O 1 I scribe	as being wit	bin a 40-ac	re subdivision	of public su	rygy, or by go	ourse and distar	nce to a secti	on corner.	Ií on unsur	veyed land	it should	be so st
-						·	,			·		
	• .	T.			the same ingressions	Spirit Ming. Ber Tray	- 700 - 12 - 12 -		,			
. ;						IGATION,		•				•
ā)			•		e irri	gated i	is <u>3</u>	20)5 M	
))	Desci	ipti	on of		e irri	•	is3 ted	20 N술 Se	c. 36	T 2		R.
>) 30	Desci E.,c)	ipti	on of	land	e irri to be	gated i	ted	20 Ng Se	c. 36	, T. 2	unsurve	R.
) 30	Desci E.,c)	ipti	on of	land	e irri to be	gated i irriga	ted	20 Ng Se	c. 36	, T. 2	unsurve	R.
>) 30	Desci E.,c)	ipti	on of	land	e irri to be	gated i irriga	ted	20 Ng Se	c. 36	, T. 2	unsurve	R.
) 30	Desci E.,c)	ipti	on of	land	e irri to be	gated i irriga	ted	20 Ng Se	c. 36	, T. 2	unsurve	R.
3() ould b	Desci Desci Desciption	M.D.M	on of	land	e irri	gated i	ted	Ng Se scribe by le e Engincer	c. 36	, T. 2	unsurvey	R. yed land
3(ould b	Desci Desci Description	M.D.M md a descri	on of ption provided n will	land dinaccorda	e irri to be	gated in irrigation for the state of the sta	ted	Ng Se scribe by le e Engineer	c. 36	, T. 2 ion, or if on cation is ret	unsurvey	R. yed land
3(0) ould b	Desci Desci Desciption	M.D.M md a descri	on of ption provided n will	land dinaccorda	e irri to be	gated i	ted	Ng Se scribe by le e Engineer	c. 36	, T. 2 ion, or if on cation is ret	unsurvey	R. yed land
30 ould b	Desci Desci Description	M.D.M md a descri	on of ption provided will	land dinaccorda begin	e irri to be nce with spec	gated i irriga ial instruction f	ted	No Se scribe by le e Engineer	c. 36 gal subdivis	, T. 2 ion, or if on eation is reti	end	eorrecti
30 ould b	Desci Desci Description	M.D.M md a descri	on of ption provided will	land dinaccorda begin	to be nce with spec	gated in irrigation for the state of the sta	ted	No Se scribe by le Engineer st	c. 36 gal subdivis	, T. 2 ion, or if on eation is reti	end	eorrecti
30 ould b	Desci Desci Description of the control of the contr	M.D.M nd a descri	on of ption provided n will BE USED	land dinaccorda begin	e irri to be nce with spec	gated in irrigation for the management of the ma	ted	No Se scribe by le e Engineer st	c. 36 gal subdivis when applic	, T. 2 ion, or if on eation is reto and	end	eorreett
30 ould b	Desci Desci Description of the control of the contr	m.D.M md a descri gatio lst Month to be s to	on of ption provided n will BE USED e deve	land dinaccorda begin FOR PO loped ated_	e irri to be newith spec new	gated in irrigation for the second se	ted	20 No Se scribe by le e Engineer st TION, O	c. 36 gal subdivis when applic R OTHE	and RUSE, S	end	abo
30 ould b	Desci Desci Description of the control of the contr	m.D.M md a descri gatio lst. Month. IS TO to be Give 40-	on of ption provided n will BE USED e deve	land dinaccorda begin FOR PO	e irri to be newith spec new	gated in irrigation for the second se	ted	20 No Se scribe by le e Engineer st TION, O	c. 36 gal subdivis when applic R OTHE	and RUSE, S	end	abo
30 ould b	Desci Desci Description of the control of the contr	m.D.M md a descri gatio lst. Month. IS TO to be Give 40-	on of ption provided n will BE USED e deve	land dinaccorda begin FOR PO	e irri to be newith spec new	gated in irrigation for the second se	ted	20 No Se scribe by le e Engineer st TION, O	c. 36 gal subdivis when applic R OTHE	and RUSE, S	end	abo
O O O O O O O O O O O O O O O O O O O	Desci Desci Descriptions of the control of the cont	M.D.M. M.D.M. Monda descri Satio 1st. Month. IS TO to be Stop Give 40-	on of ption provided n will BE USED deve	land dinaccorda begin FOR PO loped ated on on which	to be nce with spec	gated in irrigation for the manner of the ma	ted	20 Nh Se scribe by le c Engineer st TION, On hors 21, c and distant	c. 36 gal subdivis when applic R OTHE	and R USE, S Wer. N.R.	end	R. yed land
O O O O O O O O O O O O O O O O O O O	Desci Desci Descriptions of the control of the cont	M.D.M. M.D.M. Monda descri Satio 1st. Month. IS TO to be Stop Give 40-	on of ption provided n will BE USED deve	land dinaccorda begin FOR PO loped ated on on which	to be nce with spec	gated in irrigation for the second se	ted	20 No Se scribe by le e Engineer st TION, On hors 21, e and distant	c. 36 gal subdivis when applic R OTHE	and R USE, S Wer. N.R.	end SUPPLY	R. yed land correcti abo
O O O O O O O O O O O O O O O O O O O	Desci Desci Descriptions of the control of the cont	M.D.M. M.D.M. Monda descri Satio 1st. Month. IS TO to be Stop Give 40-	on of ption provided n will BE USED deve	land dinaccorda begin FOR PO loped ated on on which	to be nce with spec	gated in irrigation for the manner of the ma	ted	20 No Se scribe by le e Engineer st TION, On hors 21, e and distant	c. 36 gal subdivis when applic R OTHE	and R USE, S Wer. N.R.	end SUPPLY	R. yed land correcti abc

DESCRIPTION OF PROPOSED WORKS

Estimated coat of works \$1000.00 Estimated time required to construct works 3 years. Remarks CESARE REGHUSSI	is to be stored in reservoirs it should be so stated and the loc	ted by means of a ditch. cation of the reservoir should be given with reference to the legal subdivisions.	-
Estimated time required to construct works 3 years. Remarks CESARE REGHUSSI Applicant. By Inspired A Redigers Executive. August 30th, 1916. PROTESTED by Elizabeth A Redigers Executive. August 30th, 1916. PROTEST Withdrawn, September 18th, 1916. This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all prior rights on the source. Standard headgets and woir must be installed at or near the point of diversion to facilitate the measurement and control of water normanted at any and all times. It is distinctly understood that the population agrees to the terms herein contained, The amount of water to be appropriated shall be limited to the nount which can be applied to beneficial use, and not to exceed these 2/10 cubic feet per second. (3.2) Studies construction work shall be filed before July 23, 1918, and work shall be filed before July 23, 1918, and not before June 23, 1921. The process of the application of water to beneficial use shall be made on or before made 23, 1924. Proof of the application of water to beneficial use shall be made on or before made 23, 1924. Proof of the application of water to beneficial use shall be made on or before made 23, 1924. Proof of the application of water to beneficial use shall be made on or before made 23, 1924. Proof of the application of water to beneficial use shall be made on or before made 23, 1924. Proof of the application of water to beneficial use shall be made on or before made 23, 1924. Proof of the application of water to beneficial use shall be made on or before made 23, 1924. Proof of the application of water to beneficial use shall be made on or before made 23, 1924. Proof of the application of water to beneficial use shall be made on or before made 23, 1924. Proof of the application of water to beneficial use shall be made on or before made 24, 1924. Proof of the application of water to beneficial use shall be made on or be	is to be stored in reservoirs it should be so stated and the roc		
Estimated time required to construct works 3. years. Remarks CESARE REGHUSSI Applicant. By CESARE REGHUSSI Application Applicant. By CESARE REGHUSSI Application Application Application Application Of water to beneficial use shall be filed before July 23, 1918. Completed application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. By CESARE REGHUSI Application Application Application Application Applicatio			_
Estimated time required to construct works 3 years. Remarks CESARE REGHUSSI Applicant. By Impared Associated the sequence. CESARE REGHUSSI Applicant. By Impared Associated the sequence. PROTESTED by Elizabeth A. Rodgers Executrix. August 30th, 1916. PROTEST Withdrawn, September 1811, 1915. This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all prior rights on the source. Standard hesdgets and woir must be installed at or near the point of diversion to facilitate the measurement and control of water. The State receives the right to regulate the use of the water herein canted at any and all times. It is distinctly understood that the opplicant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the nount which can be applied to beneficial use, and not to exceed area 2/10 cubic feet per second. (3.2) Stual construction work shall begin on or before Juny 23, 1918. The most of commencement of work shall be filed before July 23, 1921. Took of commencement of work shall be filed before July 23, 1921. Took of of completion of work shall be filed before July 23, 1924. Most Mac Mac July 18 18 WITNESS MY HAND AND SEAL this 2373 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2373 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2373 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2373 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2373 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2373 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2373 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2373 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2373 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2374 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2374 day word laborated by 18 18 WITNESS MY HAND AND SEAL this 2374 day word laborated by			
Estimated time required to construct works 3 years. Remarks CESARE REGIUSI CESARE REGIUSI Applicant. By Impared All All Sequences. CESARE REGIUSI Description of water to be appropriated shall be limited to the nount which can be applied to beneficial use, and not to exceed ance. 2/10 cubic feet per second. (3.2) The amount of water to be appropriated shall be limited to the nount which can be applied to beneficial use, and not to exceed ance. 2/10 cubic feet per second. The processory of the transport of completed in or before June 23, 1918. The mass and conditions: This permit is issued subject to all prior rights on the source. Standard headgate and weir must be installed at or near the point actions and conditions. This permit is issued subject to all prior rights on the source. Standard headgate and weir must be installed at or near the point actions and conditions. This permit is issued subject to all prior rights on the source. Standard headgate and weir must be installed at or near the point actions and conditions. This permit is issued subject to all prior rights on the source. Standard headgate and weir must be registed the use of the water herein canted at any and all times. It is distinctly understood that the policion of water need in contained. The amount of water to be appropriated shall be limited to the neutral which can be applied to beneficial use, and not to exceed ance. 2/10 cubic feet per second. (3.2) Studies of completion of work shall be filed before July 23, 1918. The water to beneficial use shall be made on or before une 23, 1924. Froof of the application of water to beneficial use shall be made on or before une 23, 1924. Froof of the application of water to beneficial use shall be made on or before une 23, 1924. Froof of the application of water to beneficial use shall be made on or before une 23, 1924. Froof of the application of water to beneficial use shall be made on or before une 23, 1924. Froof of the application of water to beneficial use shall be made on or			
Remarks CESARE REGHUSSI			
CESARE REGHUSSI , Applicant, By	Estimated cost of works	\$1000.00	
CESARE RECHUSEI , Applicant. By Description of the complete of the content of the content of water to be appropriated shall be limited to the mount which can be applied to beneficial use shall be prosecuted with reasonable diligence and be completed in or before June 23, 1918. To be proceed with reasonable diligence and be completed in or before June 23, 1924. Proceed of April, 1918. Witness My Hand and Seal this 23rd day and select to be application of water to beneficial use shall be made on or before July 23, 1924. Mag Red J. 13 (3)3 Witness My Hand and Seal this 23rd day and select with SEP -2.32? **Mag Mag Al 1918.** Witness My Hand and Seal this 23rd day and select with SEP -2.32? **Lagrange of April, 1918.** **Mag Mag Al 23 (3) ** **Mag Mag Mag Mag Mag Mag Mag Mag Mag Mag	Estimated time required	to construct works 3 years.	
CESARE RECHUSSI , Applicant. By	Remarks		-
By		For use of applicant.	_
property of the service of completed with search of the service of completed with search of the service of completed of water to be especially search of search of completed on or before June 23, 1921. The property of the service o		CESARE REGHUSSI , Applicant.	
property of the service of completed with search of the service of completed with search of the service of completed of water to be especially search of search of completed on or before June 23, 1921. The property of the service o		Rv	1 112
PROTESTED by Elizabeth A. Rodgers. Executrix. August 30th, 1916. PROTEST Withdrawn, September 1814, 1910. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing applifation, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all prior rights on the source. Standard headgate and weir must be installed at or near the point of diversion to facilitate the measurement and control of water. The State reserves the right to regulate the use of the water herein ranted at any and all times. It is distinctly understood that the pplicant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed three 2/10 cubic feet per second. (3.2) Stual construction work shall begin on or before June 23, 1918. The processor of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of completion of work shall be filed before July 23, 1921. The conf of the application of water to beneficial use shall be made on or before use 23, 1924. The filed July 19 18 with the contraction of water to beneficial use shall be made on or before use 23, 1924. The filed July 19 18 with the contraction of water to beneficial use shall be made on or before use 23, 1924	12/120 M		
PROTESTED by Elizabeth A. Rodgers Executrix. August 30th, 1916. PROTEST Withdrawn. September, 18th, 1916. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all prior rights on the source. Standard headgate and weir must be installed at or near the point of diversion to facilitate the measurement and control of water has state reserves the right to regulate the use of the water herein spated at any and all times. It is distinctly understood that the poplicant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed here 2/10 cubic feet per second. (3.2) Stual construction work shall begin on or before June 23, 1918. The most of commencement of work shall be filed before July 23, 1918. The profession of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be filed before July 23, 1924. Mee filed WITNESS MY HAND AND SEAL this 23rd day and of April, 1916.	ompared // /// /// /// ///) (1.4)
PROTESTED by Elizabeth A. Rodgers Executrix. August 30th, 1916. PROTEST Withdrawn. September, 18th, 1916. APPROVAL OF STATE ENGINEER This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all prior rights on the source. Standard headgate and weir must be installed at or near the point of diversion to facilitate the measurement and control of water has state reserves the right to regulate the use of the water herein spated at any and all times. It is distinctly understood that the poplicant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed here 2/10 cubic feet per second. (3.2) Stual construction work shall begin on or before June 23, 1918. The most of commencement of work shall be filed before July 23, 1918. The profession of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be filed before July 23, 1924. Mee filed WITNESS MY HAND AND SEAL this 23rd day and of April, 1916.	his sheet inspected		
PROTESTED by Elizabeth A. Rodgers, Executrix. August 30th, 1916. PROTEST Withdrawn, September 18th, 1916. This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all prior rights on the source. Standard headgete and weir must be installed at or near the point of diversion to facilitate the measurement and control of water. The State reserves the right to regulate the use of the water herein ranted at any and all times. It is distinctly understood that the population agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed the extra construction work shall begin on or before June 23, 1918. The foreign of commencement of work shall be filed before July 23, 1918. The most of commencement of work shall be filed before July 23, 1921. The foreign of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. The filed with State Engineer on or before July 23; 1924. Mee filed with State Engineer on or before July 23; 1924. Mee filed with State Engineer on or before July 23; 1924. Mee filed with State Engineer on or before July 23; 1924. Mee filed with State Engineer on or before July 23; 1924. Mee filed with State Engineer on or before July 23; 1924. Mee filed with State Engineer on or before July 23; 1924. Mee filed with State Engineer on or before July 23; 1924. Mee filed with State Engineer on or before July 23; 1924. Mee filed before July 13; 1936.		Wrainoon	
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all prior rights on the source. Standard headgate and weir must be installed at or near the point of diversion to facilitate the measurement and control of water. The State reserves the right to regulate the use of the water herein ranted at any and all times. It is distinctly understood that the period at agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed three 2/10 cubic feet per second. (3.2) Statula construction work shall begin on or before June 23, 1918. The proposed with reasonable diligence and be completed in or before June 23, 1921. The proposed with state Engineer on or before July 23, 1921. The must be filed with State Engineer on or before July 23, 1924. Magnified July 18 18 913 WITNESS MY HAND AND SEAL this 25rd day and of April, 1918.	TO DO DITION TO THE PARTY OF TH		
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all prior rights on the source. standard headgate and weir must be installed at or near the point following to facilitate the measurement and control of water. The State reserves the right to regulate the use of the water herein rented at any and all times. It is distinctly understood that the policant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed three 2/10 cubic feet per second. (3.2) Studies and the second of the state of the second of commencement of work shall be filed before June 23, 1918. The proposed with reasonable diligence and be completed in or before June 23, 1921. The proposed with state Engineer on or before July 23, 1924. Machine 11 1913 WITNESS MY HAND AND SEAL this 25rd day and state the second of April 1918.			
ation, and do hereby grant the same, subject to the following limtations and conditions: This permit is issued subject to all prior rights on the source. Standard headgate and weir must be installed at or near the point of diversion to facilitate the measurement and control of water. The best the reserves the right to regulate the use of the water herein ranted at any and all times. It is distinctly understood that the policant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed three 2/10 cubic feet per second. (3.2) Cotual construction work shall begin on or before June 23, 1918. The proof of commencement of work shall be filed before July 23, 1918. The proof of completion of work shall be filed before July 23, 1921. The proof of completion of work shall be filed before July 23, 1921. The proof of completion of work shall use shall be made on or before une 23, 1924. The proof of the application of water to beneficial use shall be made on or before une 23, 1924. The proof of the application of water to beneficial use shall be made on or before une 23, 1924. The proof of the application of water to beneficial use must be filed with State Engineer on or before July 23; 1924. Mac filed Will 13 18 WITNESS MY HAND AND SEAL this 23rd day and of April 1918. The proof of April 1918.			
ation, and do hereby grant the same, subject to the following limtations and conditions: This permit is issued subject to all prior rights on the source. Standard headgate and weir must be installed at or near the point of diversion to facilitate the measurement and control of water. The best the reserves the right to regulate the use of the water herein ranted at any and all times. It is distinctly understood that the policant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed three 2/10 cubic feet per second. (3.2) Cotual construction work shall begin on or before June 23, 1918. The proof of commencement of work shall be filed before July 23, 1918. The proof of completion of work shall be filed before July 23, 1921. The proof of completion of work shall be filed before July 23, 1921. The proof of completion of work shall use shall be made on or before une 23, 1924. The proof of the application of water to beneficial use shall be made on or before une 23, 1924. The proof of the application of water to beneficial use shall be made on or before une 23, 1924. The proof of the application of water to beneficial use must be filed with State Engineer on or before July 23; 1924. Mac filed Will 13 18 WITNESS MY HAND AND SEAL this 23rd day and of April 1918. The proof of April 1918.			
This permit is issued subject to all prior rights on the source. standard headgate and we'r must be installed at or near the point of diversion to facilitate the measurement and control of water. he State reserves the right to regulate the use of the water herein ranted at any and all times. It is distinctly understood that the pplicant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed hree 2/10 cubic feet per second. (3.2) Stutual construction work shall begin on or before June 23, 1918. The roof of commencement of work shall be filed before July 23, 1918. The proof of completion of work shall be filed before July 23, 1921. The polication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. Magnied 15 313 WITNESS MY HAND AND SEAL this 23rd day most of labor fled by SEAL this 23rd day most of labor fled by SEAL this 23rd day and of labor fled by SEAL this 23rd day and of labor fled by SEAL This 23rd day and of labor f	ation, and do hereby grant	the same, subject to the following lim	-
This permit is issued subject to all prior rights on the source. standard headgate and we'r must be installed at or near the point of diversion to facilitate the measurement and control of water. he State reserves the right to regulate the use of the water herein ranted at any and all times. It is distinctly understood that the pplicant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed hree 2/10 cubic feet per second. (3.2) Stutual construction work shall begin on or before June 23, 1918. The roof of commencement of work shall be filed before July 23, 1918. The proof of completion of work shall be filed before July 23, 1921. The polication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. Magnied 15 313 WITNESS MY HAND AND SEAL this 23rd day most of labor fled by SEAL this 23rd day most of labor fled by SEAL this 23rd day and of labor fled by SEAL this 23rd day and of labor fled by SEAL This 23rd day and of labor f	tations and conditions.		1.
standard headgate and weir must be installed at or near the point of diversion to facilitate the measurement and control of water. he State reserves the right to regulate the use of the water herein ranted at any and all times. It is distinctly understood that the pplicant agrees to the terms herein contained, me amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed here 2/10 cubic feet per second. (3.2) ctual construction work shall begin on or before June 23, 1918. The proof of commencement of work shall be filed before July 23, 1921. The proof of completion of work shall be filed before July 23, 1921. The proof of completion of work shall be filed before July 23, 1921. The proof of completion of work shall be filed before July 23, 1921. The proof of the application of water to beneficial use shall be made on or before une 23, 1924. Mappled 18 918 WITNESS MY HAND AND SEAL this 23rd day med of labor flad by 12 18 18 18 18 19 18 19 18 19 19 19 19 19 19 19 19 19 19 19 19 19		ubject to all prior rights on the source.	
he State reserves the right to regulate the use of the water herein ranted at any and all times. It is distinctly understood that the pplicant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed three 2/10 cubic feet per second. (3.2) Cottual construction work shall begin on or before June 23, 1918. The roof of commencement of work shall be filed before July 23, 1918. The roof of completion of work shall be filed before July 23, 1921. The roof of completion of work shall be filed before July 23, 1921. The polication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924.	standard headgate and weir	must be installed at or near the point	7
ranted at any and all times. It is distinctly understood that the pplicant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed three 2/10 cubic feet per second. (3.2) The actual construction work shall begin on or before June 23, 1918. The actual construction work shall be filed before July 23, 1918. The actual construction work shall be filed before July 23, 1918. The actual construction work shall be filed before July 23, 1921. The actual construction of work shall be filed before July 23, 1921. The actual construction of work shall be filed before July 23, 1921. The actual construction of work shall be filed before July 23, 1921. The actual construction of water to beneficial use shall be made on or before une 23, 1924. The actual construction of the application of water to beneficial use must be filed with State Engineer on or before July 23, 1924. Mass filed July 18 WITNESS MY HAND AND SEAL this 23rd day not a labor filed by 10 19 19 19 19 19 19 19 19 19 19 19 19 19	f diversion to facilitate t	he measurement and control of water.	_
pplicant agrees to the terms herein contained. The amount of water to be appropriated shall be limited to the mount which can be applied to beneficial use, and not to exceed hree 2/10 cubic feet per second. (3.2) Total construction work shall begin on or before June 23, 1918. The roof of commencement of work shall be filed before July 23, 1918. The roof of completion of work shall be filed before July 23, 1921. The roof of completion of work shall be filed before July 23, 1921. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of water to beneficial use shall be made on or before une 23, 1924. The polication of the application of water to beneficial use shall be made on or before une 23, 1924. The polication of the application of water to beneficial use shall be made on or before use at the polication	ne State reserves the right ranted at any and all times	It is distinctly understood that the	1:
nount which can be applied to beneficial use, and not to exceed hree 2/10 cubic feet per second. (3.2) ctual construction work shall begin on or before June 23, 1918. roof of commencement of work shall be filed before July 23, 1918. crk must be prosecuted with reasonable diligence and be completed in or before June 23, 1921. roof of completion of work shall be filed before July 23, 1921 cplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial se must be filed with State Engineer on or before July 23, 1924. Map filed UL 18 98 WITNESS MY HAND AND SEAL this 23rd day not of labor filed JUL 18 188 WITNESS MY HAND AND SEAL this 23rd day of April, 1918.	pplicant agrees to the term	s herein contained.	1 :
nount which can be applied to beneficial use, and not to exceed hree 2/10 cubic feet per second. (3.2) ctual construction work shall begin on or before June 23, 1918. roof of commencement of work shall be filed before July 23, 1918. crk must be prosecuted with reasonable diligence and be completed in or before June 23, 1921. roof of completion of work shall be filed before July 23, 1921 cplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial se must be filed with State Engineer on or before July 23, 1924. Map filed UL 18 98 WITNESS MY HAND AND SEAL this 23rd day not of labor filed JUL 18 188 WITNESS MY HAND AND SEAL this 23rd day of April, 1918.			_ : :
nount which can be applied to beneficial use, and not to exceed hree 2/10 cubic feet per second. (3.2) ctual construction work shall begin on or before June 23, 1918. roof of commencement of work shall be filed before July 23, 1918. crk must be prosecuted with reasonable diligence and be completed in or before June 23, 1921. roof of completion of work shall be filed before July 23, 1921 cplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial se must be filed with State Engineer on or before July 23, 1924. Map filed UL 18 98 WITNESS MY HAND AND SEAL this 23rd day not of labor filed JUL 18 188 WITNESS MY HAND AND SEAL this 23rd day of April, 1918.			_
tual construction work shall begin on or before June 23, 1918. roof of commencement of work shall be filed before July 23, 1918. ork must be prosecuted with reasonable diligence and be completed on or before June 23, 1921. roof of completion of work shall be filed before July 23, 1921. poplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial see must be filed with State Engineer on or before July 23, 1924. Map filed WITNESS MY HAND AND SEAL this 23rd day of April, 1918.	he amount of water to be	appropriated shall be limited to the	Э
tual construction work shall begin on or before June 23, 1918. roof of commencement of work shall be filed before July 23, 1918. ork must be prosecuted with reasonable diligence and be completed on or before June 23, 1921. roof of completion of work shall be filed before July 23, 1921. poplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial see must be filed with State Engineer on or before July 23, 1924. Map filed WITNESS MY HAND AND SEAL this 23rd day of April, 1918.			T .
ctual construction work shall begin on or before June 23, 1918. roof of commencement of work shall be filed before July 23, 1918. ork must be prosecuted with reasonable diligence and be completed on or before June 23, 1921. roof of completion of work shall be filed before July 23, 1921. poplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial se must be filed with State Engineer on or before July 23, 1924. Map filed WITNESS MY HAND AND SEAL this 23rd day of April, 1918.			
roof of commencement of work shall be filed before July 23, 1918. ork must be prosecuted with reasonable diligence and be completed in or before June 23, 1921. roof of completion of work shall be filed before July 23, 1921. oplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial see must be filed with State Engineer on or before July 23, 1924. Map filed JUL 18 98 WITNESS MY HAND AND SEAL this 23rd day not of labor filed JUL 19 38 of April, 1918.			
ork must be prosecuted with reasonable diligence and be completed in or before June 23, 1921. Toof of completion of work shall be filed before July 23, 1921. Toplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial see must be filed with State Engineer on or before July 23, 1924. Map filed IS 18 8 WITNESS MY HAND AND SEAL this 23rd day not of labor filed July 19 18 of April, 1918.	ctual construction work sh	all begin on or before June 23, 1918.	
n or before June 23, 1921. roof of completion of work shall be filed before July 23, 1921. pplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial see must be filed with State Engineer on or before July 23, 1924. Map filed WITNESS MY HAND AND SEAL this 23rd days of April, 1918.	roof of commencement of worl	k shall be filed before July 23, 1918.	/ · · · ·
roof of completion of work shall be filed before July 23, 1921. oplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial se must be filed with State Engineer on or before July 23, 1924. Map filed WITNESS MY HAND AND SEAL this 23rd day not of labor filed July 10 10 10 10 10 10 10 10 10 10 10 10 10	ork must be prosecuted wit	h reasonable diligence and be complete	1
roof of completion of work shall be filed before July 23, 1921. oplication of water to beneficial use shall be made on or before une 23, 1924. Proof of the application of water to beneficial se must be filed with State Engineer on or before July 23, 1924. Map filed WITNESS MY HAND AND SEAL this 23rd day not of labor filed July 10 10 10 10 10 10 10 10 10 10 10 10 10			
Map filed With State Engineer on or before July 23, 1924. Map filed WITNESS MY HAND AND SEAL this 23rd day of April, 1918. Of Controllerian of Sink first SEP - 2 1927 Lagrange May 4 1939 Colleged	roof of completion of work	shall be filed before July 23, 1921.	е
Map filed 15 93 WITNESS MY HAND AND SEAL this 23rd day roof of labor filed JUL 13 3 of April, 1918.	une 23, 1924. Proof of	the application of water to beneficial	
Map filed 15 93 WITNESS MY HAND AND SEAL this 23rd day roof of labor filed JUL 13 3 of April, 1918.	se must be filed with Stat	te Engineer on or before July 23, 1924.	
of April, 1918. of Copyrights of April, 1918. Of April, 1918. Of April, 1918.	· ·	And the state of t	1
Nov 1 1929 Citheral	roof of labor filed JUL 19 198		
Nov 1 1929 Citheral	7 of comprehen or similarly SEP - 9 140		T
1121 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	the state of the s	- Jumour Laze.	
	Nov A 1620 College	State Engineer	11 - 7
		State Engineer. Cettificate 11, 1634 hours april 1991.	